

VERIFICATION OF COMPLIANCE

No.: GZES2201000233PV

Applicant: Beijing Epsolar Technology Co., Ltd.
No.228, Block A, 2nd Floor, Bldg 1, No.3 Street, Shangdi Xinx
Chanye Jidi, Haidian District, Beijing, China.

Manufacturer: Huizhou Epever Technology Co., Ltd.
No.103, Dongxing Rd, Chenjiang Street, Zhongkai High-Tech Zone,
Huizhou, China

Product Name: Pure Sine Wave Inverter

Product Description: Pure Sine Wave Inverter used in PV system

Model No.: IP AAAA-Bb-Plus(Z), IP AAAA-Bb-Plus-B(Z), IPT AAAA-Bb (X/Y)

Trade Mark: EPEVER

Rating: See pages 2 to 9

Protection against Electric Shock: Class I

Degree of Protection: IP 20

Additional Information: N/A

Sufficient samples of the product have been tested and found to be in conformity with

Test Standard: IEC 62109-1: 2010
IEC 62109-2: 2011

as shown in the

Test Report Number(s): GZES220100023301, GZES220100023302

This Verification of Compliance has been granted to the applicant based on the results of tests, performed by Laboratory of SGS-CSTC Standards Technical Services Co., Ltd. on sample of the above-mentioned product in accordance with the provisions of the relevant specific standards.


David Guo
Senior Technical Manager
SGS-CSTC



2022-05-07

Other information added :

Rating :

IP AAAA-Bb-Plus(Z): Has display panel, anti-surge function and input reverse connection protection function

“**AAAA**” refers to rated output power. It can be 1500, 2000, 3000, 4000 or 5000, that signify rated output power is 1500W, 2000W, 3000W, 4000W or 5000W

“**B**” refers to input rated voltage. It can be 1, 2 or 4 that signify the input rated voltage is 12Vdc, 24Vdc or 48Vdc

“**b**” refers to output rated voltage. It can be 1 or 2, that signify the output rated voltage is 100/110/120Vac or 220/230/240Vac

“**Z**” refers to outlet. It can be C (Chinese dual - socket), E (European), A (Australia), UK (United Kingdom), F (French), N (North America), GFCI (Ground fault circuit interrupt) or T (terminal block)

All the model list as following:

IP1500-22-Plus(C), IP1500-22-Plus(E), IP1500-22-Plus(A)

IP1500-22-Plus(UK), IP1500-22-Plus(F), IP1500-22-Plus(T)

IP1500-22-Plus(TC), IP1500-22-Plus(TE),

IP1500-22-Plus(TA), IP1500-22-Plus(TUK), IP1500-22-Plus(TF)

IP1500-42-Plus(C), IP1500-42-Plus(E), IP1500-42-Plus(A)

IP1500-42-Plus(UK), IP1500-42-Plus(F), IP1500-42-Plus(T)

IP1500-42-Plus(TC), IP1500-42-Plus(TE),

IP1500-42-Plus(TA), IP1500-42-Plus(TUK), IP1500-42-Plus(TF)

IP2000-12-Plus(C), IP2000-12-Plus(E), IP2000-12-Plus(A)

IP2000-12-Plus(UK), IP2000-12-Plus(F), IP2000-12-Plus(T)

IP2000-12-Plus(TC), IP2000-12-Plus(TE),

IP2000-12-Plus(TA), IP2000-12-Plus(TUK), IP2000-12-Plus(TF)

IP2000-22-Plus(C), IP2000-22-Plus(E), IP2000-22-Plus(A)

IP2000-22-Plus(UK), IP2000-22-Plus(F), IP2000-22-Plus(T)

IP2000-22-Plus(TC), IP2000-22-Plus(TE),

IP2000-22-Plus(TA), IP2000-22-Plus(TUK), IP2000-22-Plus(TF)

IP2000-42-Plus(C), IP2000-42-Plus(E), IP2000-42-Plus(A)

IP2000-42-Plus(UK), IP2000-42-Plus(F), IP2000-42-Plus(T)

IP2000-42-Plus(TC), IP2000-42-Plus(TE),

IP2000-42-Plus(TA), IP2000-42-Plus(TUK), IP2000-42-Plus(TF)

IP3000-12-Plus(E), IP3000-12-Plus(F), IP3000-12-Plus(T)

IP3000-12-Plus(TC), IP3000-12-Plus(TE),

IP3000-12-Plus(TA), IP3000-12-Plus(TUK), IP3000-12-Plus(TF)

IP3000-22-Plus(E), IP3000-22-Plus(F), IP3000-22-Plus(T)

IP3000-22-Plus(TC), IP3000-22-Plus(TE),

IP3000-22-Plus(TA), IP3000-22-Plus(TUK), IP3000-22-Plus(TF)

David Guo

Senior Technical Manager

SGS-CSTC

2022-04-28

Copyright of this verification is owned by SGS-CSTC Standards Technical Services Co., Ltd. and may not be reproduced other than in full and with the prior approval of the General Manager. This verification is subjected to the governance of the General Conditions of Services which can be accessible at <https://www.sgs.com/en/terms-and-conditions>

Member of SGS Group (Société Générale de Surveillance)

No.:

GZES2201000233PV

IP3000-42-Plus(E), IP3000-42-Plus(F), IP3000-42-Plus(T)
IP3000-42-Plus(TC), IP3000-42-Plus(TE),
IP3000-42-Plus(TA), IP3000-42-Plus(TUK), IP3000-42-Plus(TF)

IP4000-42-Plus(T), **IP4000-42-Plus(TC), IP4000-42-Plus(TE),**
IP4000-42-Plus(TA), IP4000-42-Plus(TUK), IP4000-42-Plus(TF)

IP5000-42-Plus(T), **IP5000-42-Plus(TC), IP5000-42-Plus(TE),**
IP5000-42-Plus(TA), IP5000-42-Plus(TUK), IP5000-42-Plus(TF)

IP1500-21-Plus(T), IP1500-21-Plus(N), IP1500-21-Plus(GFCI)
IP1500-21-Plus(TN), IP1500-21-Plus(TGFCI)

IP1500-41-Plus(T), IP1500-41-Plus(N), IP1500-41-Plus(GFCI)
IP1500-41-Plus(TN), IP1500-41-Plus(TGFCI)

IP2000-11-Plus(T), IP2000-11-Plus(N), IP2000-11-Plus(GFCI)
IP2000-11-Plus(TN), IP2000-11-Plus(TGFCI)

IP2000-21-Plus(T), IP2000-21-Plus(N), IP2000-21-Plus(GFCI)
IP2000-21-Plus(TN), IP2000-21-Plus(TGFCI)

IP2000-41-Plus(T), IP2000-41-Plus(N), IP2000-41-Plus(GFCI)
IP2000-41-Plus(TN), IP2000-41-Plus(TGFCI)

IP3000-11-Plus(T), **IP3000-11-Plus(TN), IP3000-11-Plus(TGFCI)**

IP3000-21-Plus(T), **IP3000-21-Plus(TN), IP3000-21-Plus(TGFCI)**

IP3000-41-Plus(T), **IP3000-41-Plus(TN), IP3000-41-Plus(TGFCI)**

IP4000-41-Plus(T), **IP4000-41-Plus(TN), IP4000-41-Plus(TGFCI)**


David Guo
Senior Technical Manager
SGS-CSTC



2022-05-07

Copyright of this verification is owned by SGS-CSTC Standards Technical Services Co., Ltd. and may not be reproduced other than in full and with the prior approval of the General Manager. This verification is subjected to the governance of the General Conditions of Services which can be accessible at <https://www.sgs.com/en/terms-and-conditions>
Member of SGS Group (Société Générale de Surveillance)

No.:

GZES2201000233PV

IP AAAA-Bb-Plus-B(Z): Has display panel, anti-surge function and input reverse connection protection function

“**AAAA**” refers to rated output power. It can be 1500, 2000, 3000, 4000 or 5000, that signify rated output power is 1500W, 2000W, 3000W, 4000W or 5000W

“**B**” refers to input rated voltage. It can be 1, 2 or 4 that signify the input rated voltage is 12Vdc, 24Vdc or 48Vdc

“**b**” refers to output rated voltage. It can be 1 or 2, that signify the output rated voltage is 100/110/120Vac or 220/230/240Vac

“**Z**” refers to outlet. It can be C (Chinese dual - socket), E (European), A (Australia), UK (United Kingdom), F (French), N (North America), GFCI (Ground fault circuit interrupt) or T (terminal block)

All the model list as following:

IP1500-22-Plus-B(C), IP1500-22-Plus-B(E), IP1500-22-Plus-B(A)
IP1500-22-Plus-B(UK), IP1500-22-Plus-B(F), IP1500-22-Plus-B(T)
IP1500-22-Plus-B(TC), IP1500-22-Plus-B(TE),
IP1500-22-Plus-B(TA), IP1500-22-Plus-B(TUK), IP1500-22-Plus-B(TF)

IP1500-42-Plus-B(C), IP1500-42-Plus-B(E), IP1500-42-Plus-B(A)
IP1500-42-Plus-B(UK), IP1500-42-Plus-B(F), IP1500-42-Plus-B(T)
IP1500-42-Plus-B(TC), IP1500-42-Plus-B(TE),
IP1500-42-Plus-B(TA), IP1500-42-Plus-B(TUK), IP1500-42-Plus-B(TF)

IP2000-12-Plus-B(C), IP2000-12-Plus-B(E), IP2000-12-Plus-B(A)
IP2000-12-Plus-B(UK), IP2000-12-Plus-B(F), IP2000-12-Plus-B(T)
IP2000-12-Plus-B(TC), IP2000-12-Plus-B(TE),
IP2000-12-Plus-B(TA), IP2000-12-Plus-B(TUK), IP2000-12-Plus-B(TF)

IP2000-22-Plus-B(C), IP2000-22-Plus-B(E), IP2000-22-Plus-B(A)
IP2000-22-Plus-B(UK), IP2000-22-Plus-B(F), IP2000-22-Plus-B(T)
IP2000-22-Plus-B(TC), IP2000-22-Plus-B(TE),
IP2000-22-Plus-B(TA), IP2000-22-Plus-B(TUK), IP2000-22-Plus-B(TF)

IP2000-42-Plus-B(C), IP2000-42-Plus-B(E), IP2000-42-Plus-B(A)
IP2000-42-Plus-B(UK), IP2000-42-Plus-B(F), IP2000-42-Plus-B(T)
IP2000-42-Plus-B(TC), IP2000-42-Plus-B(TE),
IP2000-42-Plus-B(TA), IP2000-42-Plus-B(TUK), IP2000-42-Plus-B(TF)

IP3000-12-Plus-B(E), IP3000-12-Plus-B(F), IP3000-12-Plus-B(T)
IP3000-12-Plus-B(TC), IP3000-12-Plus-B(TE),
IP3000-12-Plus-B(TA), IP3000-12-Plus-B(TUK), IP3000-12-Plus-B(TF)

IP3000-22-Plus-B(E), IP3000-22-Plus-B(F), IP3000-22-Plus-B(T)
IP3000-22-Plus-B(TC), IP3000-22-Plus-B(TE),
IP3000-22-Plus-B(TA), IP3000-22-Plus-B(TUK), IP3000-22-Plus-B(TF)

David Guo
 Senior Technical Manager
 SGS-CSTC

2022-05-07

No.:

GZES2201000233PV

IP3000-42-Plus-B(E), IP3000-42-Plus-B(F), IP3000-42-Plus-B(T)
IP3000-42-Plus-B(TC), IP3000-42-Plus-B(TE),
IP3000-42-Plus-B(TA), IP3000-42-Plus-B(TUK), IP3000-42-Plus-B(TF)

IP4000-42-Plus-B(T), IP4000-42-Plus-B(TC), IP4000-42-Plus-B(TE),
IP4000-42-Plus-B(TA), IP4000-42-Plus-B(TUK), IP4000-42-Plus-B(TF)

IP5000-42-Plus-B(T), IP5000-42-Plus-B(TC), IP5000-42-Plus-B(TE),
IP5000-42-Plus-B(TA), IP5000-42-Plus-B(TUK), IP5000-42-Plus-B(TF)

IP1500-21-Plus-B(T), IP1500-21-Plus-B(N), IP1500-21-Plus-B(GFCI)
IP1500-21-Plus-B(TN), IP1500-21-Plus-B(TGFCI)

IP1500-41-Plus-B(T), IP1500-41-Plus-B(N), IP1500-41-Plus-B(GFCI)
IP1500-41-Plus-B(TN), IP1500-41-Plus-B(TGFCI)

IP2000-11-Plus-B(T), IP2000-11-Plus-B(N), IP2000-11-Plus-B(GFCI)
IP2000-11-Plus-B(TN), IP2000-11-Plus-B(TGFCI)

IP2000-21-Plus-B(T), IP2000-21-Plus-B(N), IP2000-21-Plus-B(GFCI)
IP2000-21-Plus-B(TN), IP2000-21-Plus-B(TGFCI)

IP2000-41-Plus-B(T), IP2000-41-Plus-B(N), IP2000-41-Plus-B(GFCI)
IP2000-41-Plus-B(TN), IP2000-41-Plus-B(TGFCI)

IP3000-11-Plus-B(T), IP3000-11-Plus-B(TN), IP3000-11-Plus-B(TGFCI)

IP3000-21-Plus-B(T), IP3000-21-Plus-B(TN), IP3000-21-Plus-B(TGFCI)

IP3000-41-Plus-B(T), IP3000-41-Plus-B(TN), IP3000-41-Plus-B(TGFCI)

IP4000-41-Plus-B(T), IP4000-41-Plus-B(TN), IP4000-41-Plus-B(TGFCI)




David Guo

Senior Technical Manager
SGS-CSTC

2022-05-07

Copyright of this verification is owned by SGS-CSTC Standards Technical Services Co., Ltd. and may not be reproduced other than in full and with the prior approval of the General Manager. This verification is subjected to the governance of the General Conditions of Services which can be accessible at <https://www.sgs.com/en/terms-and-conditions>
Member of SGS Group (Société Générale de Surveillance)

No.:

GZES2201000233PV

IPT AAAA-Bb (X/Y): Has no display panel, only indicator lights, anti-surge function (Optional) and Input reverse connection protection function (Optional)

“**AAAA**” refers to rated output power. It can be 1500, 2000, 3000, 4000 or 5000, that signify rated output power is 1500W, 2000W, 3000W, 4000W or 5000W

“**B**” refers to input rated voltage. It can be 1, 2 or 4 that signify the input rated voltage is 12Vdc, 24Vdc or 48Vdc

“**b**” refers to output rated voltage. It can be 1 or 2, that signify the output rated voltage is 100/110/120Vac or 220/230/240Vac

“**X**” refers to outlet. It can be E (European), A (Australia), F (French), UK (United Kingdom), C (Chinese dual - socket), N (North America), GFCI (Ground fault circuit interrupt) or T (terminal block).

“**Y**” The function is optional. R: with reverse polarity protection, without anti-surge current protection, S: without reverse polarity protection, with anti-surge current protection, RS: with reverse polarity and anti-surge current protection, others: without reverse polarity and anti-surge current protection

All the model list as following:

IPT1500-22(E), IPT1500-22(E/R), IPT1500-22(E/S), IPT1500-22(E/RS),
IPT1500-22(A), IPT1500-22(A/R), IPT1500-22(A/S), IPT1500-22(A/RS),
IPT1500-22(F), IPT1500-22(F/R), IPT1500-22(F/S), IPT1500-22(F/RS),
IPT1500-22(UK), IPT1500-22(UK/R), IPT1500-22(UK/S), IPT1500-22(UK/RS),
IPT1500-22(C), IPT1500-22(C/R), IPT1500-22(C/S), IPT1500-22(C/RS)
IPT1500-22(T), IPT1500-22(T/R), IPT1500-22(T/S), IPT1500-22(T/RS)
IPT1500-22(TE), IPT1500-22(TE/R), IPT1500-22(TE/S), IPT1500-22(TE/RS)
IPT1500-22(TA), IPT1500-22(TA/R), IPT1500-22(TA/S), IPT1500-22(TA/RS)
IPT1500-22(TF), IPT1500-22(TF/R), IPT1500-22(TF/S), IPT1500-22(TF/RS)
IPT1500-22(TUK), IPT1500-22(TUK/R), IPT1500-22(TUK/S), IPT1500-22(TUK/RS)
IPT1500-22(TC), IPT1500-22(TC/R), IPT1500-22(TC/S), IPT1500-22(TC/RS)
IPT1500-42(E), IPT1500-42(E/R), IPT1500-42(E/S), IPT1500-42(E/RS),
IPT1500-42(A), IPT1500-42(A/R), IPT1500-42(A/S), IPT1500-42(A/RS),
IPT1500-42(F), IPT1500-42(F/R), IPT1500-42(F/S), IPT1500-42(F/RS),
IPT1500-42(UK), IPT1500-42(UK/R), IPT1500-42(UK/S), IPT1500-42(UK/RS),
IPT1500-42(C), IPT1500-42(C/R), IPT1500-42(C/S), IPT1500-42(C/RS)
IPT1500-42(T), IPT1500-42(T/R), IPT1500-42(T/S), IPT1500-42(T/RS)
IPT1500-42(TE), IPT1500-42(TE/R), IPT1500-42(TE/S), IPT1500-42(TE/RS)
IPT1500-42(TA), IPT1500-42(TA/R), IPT1500-42(TA/S), IPT1500-42(TA/RS)
IPT1500-42(TF), IPT1500-42(TF/R), IPT1500-42(TF/S), IPT1500-42(TF/RS)
IPT1500-42(TUK), IPT1500-42(TUK/R), IPT1500-42(TUK/S), IPT1500-42(TUK/RS)
IPT1500-42(TC), IPT1500-42(TC/R), IPT1500-42(TC/S), IPT1500-42(TC/RS)
IPT2000-12(E), IPT2000-12(E/R), IPT2000-12(E/S), IPT2000-12(E/RS),
IPT2000-12(A), IPT2000-12(A/R), IPT2000-12(A/S), IPT2000-12(A/RS),
IPT2000-12(F), IPT2000-12(F/R), IPT2000-12(F/S), IPT2000-12(F/RS),
IPT2000-12(UK), IPT2000-12(UK/R), IPT2000-12(UK/S), IPT2000-12(UK/RS),
IPT2000-12(C), IPT2000-12(C/R), IPT2000-12(C/S), IPT2000-12(C/RS)
IPT2000-12(T), IPT2000-12(T/R), IPT2000-12(T/S), IPT2000-12(T/RS)
IPT2000-12(TE), IPT2000-12(TE/R), IPT2000-12(TE/S), IPT2000-12(TE/RS)
IPT2000-12(TA), IPT2000-12(TA/R), IPT2000-12(TA/S), IPT2000-12(TA/RS)
IPT2000-12(TF), IPT2000-12(TF/R), IPT2000-12(TF/S), IPT2000-12(TF/RS)
IPT2000-12(TUK), IPT2000-12(TUK/R), IPT2000-12(TUK/S), IPT2000-12(TUK/RS)
IPT2000-12(TC), IPT2000-12(TC/R), IPT2000-12(TC/S), IPT2000-12(TC/RS)


David Guo

Senior Technical Manager
SGS-CSTC

2022-05-07

No.:

GZES2201000233PV

**IPT2000-22(E), IPT2000-22(E/R), IPT2000-22(E/S), IPT2000-22(E/RS),
IPT2000-22(A), IPT2000-22(A/R), IPT2000-22(A/S), IPT2000-22(A/RS),
IPT2000-22(F), IPT2000-22(F/R), IPT2000-22(F/S), IPT2000-22(F/RS),
IPT2000-22(UK), IPT2000-22(UK/R), IPT2000-22(UK/S), IPT2000-22(UK/RS),
IPT2000-22(C), IPT2000-22(C/R), IPT2000-22(C/S), IPT2000-22(C/RS)
IPT2000-22(T), IPT2000-22(T/R), IPT2000-22(T/S), IPT2000-22(T/RS)
IPT2000-22(TE), IPT2000-22(TE/R), IPT2000-22(TE/S), IPT2000-22(TE/RS)
IPT2000-22(TA), IPT1500-22(TA/R), IPT2000-22(TA/S), IPT2000-22(TA/RS)
IPT2000-22(TF), IPT1500-22(TF/R), IPT2000-22(TF/S), IPT2000-22(TF/RS)
IPT2000-22(TUK), IPT1500-22(TUK/R), IPT2000-22(TUK/S), IPT2000-22(TUK/RS)
IPT2000-22(TC), IPT1500-22(TC/R), IPT2000-12(TC/S), IPT2000-22(TC/RS)**

**IPT2000-42(E), IPT2000-42(E/R), IPT2000-42(E/S), IPT2000-42(E/RS),
IPT2000-42(A), IPT2000-42(A/R), IPT2000-42(A/S), IPT2000-42(A/RS),
IPT2000-42(F), IPT2000-42(F/R), IPT2000-42(F/S), IPT2000-42(F/RS),
IPT2000-42(UK), IPT2000-42(UK/R), IPT2000-42(UK/S), IPT2000-42(UK/RS),
IPT2000-42(C), IPT2000-42(C/R), IPT2000-42(C/S), IPT2000-42(C/RS)
IPT2000-42(T), IPT2000-42(T/R), IPT2000-42(T/S), IPT2000-42(T/RS)
IPT2000-42(TE), IPT2000-42(TE/R), IPT2000-42(TE/S), IPT2000-42(TE/RS)
IPT2000-42(TA), IPT2000-42(TA/R), IPT2000-42(TA/S), IPT2000-42(TA/RS)
IPT2000-42(TF), IPT2000-42(TF/R), IPT2000-42(TF/S), IPT2000-42(TF/RS)
IPT2000-42(TUK), IPT2000-42(TUK/R), IPT2000-42(TUK/S), IPT2000-42(TUK/RS)
IPT2000-42(TC), IPT2000-42(TC/R), IPT2000-42(TC/S), IPT2000-42(TC/RS)**

**IPT3000-12(E), IPT3000-12(E/R), IPT3000-12(E/S), IPT3000-12(E/RS),
IPT3000-12(TA), IPT3000-12(TA/R), IPT3000-12(TA/S), IPT3000-12(TA/RS),
IPT3000-12(F), IPT3000-12(F/R), IPT3000-12(F/S), IPT3000-12(F/RS),
IPT3000-12(TUK), IPT3000-12(TUK/R), IPT3000-12(TUK/S), IPT3000-12(TUK/RS),
IPT3000-12(TC), IPT3000-12(TC/R), IPT3000-12(TC/S), IPT3000-12(TC/RS)
IPT3000-12(T), IPT3000-12(T/R), IPT3000-12(T/S), IPT3000-12(T/RS)
IPT3000-12(TE), IPT3000-12(TE/R), IPT3000-12(TE/S), IPT3000-12(TE/RS)
IPT3000-12(TF), IPT3000-12(TF/R), IPT3000-12(TF/S), IPT3000-12(TF/RS)**

**IPT3000-22(E), IPT3000-22(E/R), IPT3000-22(E/S), IPT3000-22(E/RS),
IPT3000-22(TA), IPT3000-22(TA/R), IPT3000-22(TA/S), IPT3000-22(TA/RS),
IPT3000-22(F), IPT3000-22(F/R), IPT3000-22(F/S), IPT3000-22(F/RS),
IPT3000-22(TUK), IPT3000-22(TUK/R), IPT3000-22(TUK/S), IPT3000-22(TUK/RS),
IPT3000-22(TC), IPT3000-22(TC/R), IPT3000-22(TC/S), IPT3000-22(TC/RS)
IPT3000-22(T), IPT3000-22(T/R), IPT3000-22(T/S), IPT3000-22(T/RS)
IPT3000-22(TE), IPT3000-22(TE/R), IPT3000-22(TE/S), IPT3000-22(TE/RS)
IPT3000-22(TF), IPT3000-22(TF/R), IPT3000-22(TF/S), IPT3000-22(TF/RS)**

David Guo
Senior Technical Manager
SGS-CSTC

2022-05-07

Copyright of this verification is owned by SGS-CSTC Standards Technical Services Co., Ltd. and may not be reproduced other than in full and with the prior approval of the General Manager. This verification is subjected to the governance of the General Conditions of Services which can be accessible at <https://www.sgs.com/en/terms-and-conditions>

Member of SGS Group (Société Générale de Surveillance)

No.:

GZES2109027033PV

**IPT3000-42(E), IPT3000-42(E/R), IPT3000-42(E/S), IPT3000-42(E/RS),
IPT3000-42(TA), IPT3000-42(TA/R), IPT3000-42(TA/S), IPT3000-42(TA/RS),
IPT3000-42(F), IPT3000-42(F/R), IPT3000-42(F/S), IPT3000-42(F/RS),
IPT3000-42(TUK), IPT3000-42(TUK/R), IPT3000-42(TUK/S), IPT3000-42(TUK/RS),
IPT3000-42(TC), IPT3000-42(TC/R), IPT3000-42(TC/S), IPT3000-42(TC/RS)
IPT3000-42(T), IPT3000-42(T/R), IPT3000-42(T/S), IPT3000-42(T/RS)
IPT3000-42(TE), IPT3000-42(TE/R), IPT3000-42(TE/S), IPT3000-42(TE/RS)
IPT3000-42(TF), IPT3000-42(TF/R), IPT3000-42(TF/S), IPT3000-42(TF/RS)**

**IPT4000-42(TE), IPT4000-42(TE/R), IPT4000-42(TE/S), IPT4000-42(TE/RS),
IPT4000-42(TA), IPT4000-42(TA/R), IPT4000-42(TA/S), IPT4000-42(TA/RS),
IPT4000-42(TF), IPT4000-42(TF/R), IPT4000-42(TF/S), IPT4000-42(TF/RS),
IPT4000-42(TUK), IPT4000-42(TUK/R), IPT4000-42(TUK/S), IPT4000-42(TUK/RS),
IPT4000-42(TC), IPT4000-42(TC/R), IPT4000-42(TC/S), IPT4000-42(TC/RS)
IPT4000-42(T), IPT4000-42(T/R), IPT4000-42(T/S), IPT4000-42(T/RS)**

**IPT5000-42(TE), IPT5000-42(TE/R), IPT5000-42(TE/S), IPT5000-42(TE/RS),
IPT5000-42(TA), IPT5000-42(TA/R), IPT5000-42(TA/S), IPT5000-42(TA/RS),
IPT5000-42(TF), IPT5000-42(TF/R), IPT5000-42(TF/S), IPT5000-42(TF/RS),
IPT5000-42(TUK), IPT5000-42(TUK/R), IPT5000-42(TUK/S), IPT5000-42(TUK/RS),
IPT5000-42(TC), IPT5000-42(TC/R), IPT5000-42(TC/S), IPT5000-42(TC/RS)
IPT5000-42(T), IPT5000-42(T/R), IPT5000-42(T/S), IPT5000-42(T/RS)**

**IPT1500-21(N), IPT1500-21(N/R), IPT1500-21(N/S), IPT1500-21(N/RS)
IPT1500-21(GFCI), IPT1500-21(GFCI/R), IPT1500-21(GFCI/S), IPT1500-21(GFCI/RS)
IPT1500-21(T), IPT1500-21(T/R), IPT1500-21(T/S), IPT1500-21(T/RS)
IPT1500-21(TN), IPT1500-21(TN/R), IPT1500-21(TN/S), IPT1500-21(TN/RS)
IPT1500-21(TGFCI), IPT1500-21(TGFCI/R), IPT1500-21(TGFCI/S), IPT1500-21(TGFCI/RS)**

**IPT1500-41(N), IPT1500-41(N/R), IPT1500-41(N/S), IPT1500-41(N/RS)
IPT1500-41(GFCI), IPT1500-41(GFCI/R), IPT1500-41(GFCI/S), IPT1500-41(GFCI/RS)
IPT1500-41(T), IPT1500-41(T/R), IPT1500-41(T/S), IPT1500-41(T/RS)
IPT1500-41(TN), IPT1500-41(TN/R), IPT1500-41(TN/S), IPT1500-41(TN/RS)
IPT1500-41(TGFCI), IPT1500-41(TGFCI/R), IPT1500-41(TGFCI/S), IPT1500-41(TGFCI/RS)**

**IPT2000-11(N), IPT2000-11(N/R), IPT2000-11(N/S), IPT2000-11(N/RS)
IPT2000-11(GFCI), IPT2000-11(GFCI/R), IPT2000-11(GFCI/S), IPT2000-11(GFCI/RS)
IPT2000-11(T), IPT2000-11(T/R), IPT2000-11(T/S), IPT2000-11(T/RS)
IPT2000-11(TN), IPT2000-11(TN/R), IPT2000-11(TN/S), IPT2000-11(TN/RS)
IPT2000-11(TGFCI), IPT2000-11(TGFCI/R), IPT2000-11(TGFCI/S), IPT2000-11(TGFCI/RS)**

**IPT2000-21(N), IPT2000-21(N/R), IPT2000-21(N/S), IPT2000-21(N/RS)
IPT2000-21(GFCI), IPT2000-21(GFCI/R), IPT2000-21(GFCI/S), IPT2000-21(GFCI/RS)
IPT2000-21(T), IPT2000-21(T/R), IPT2000-21(T/S), IPT2000-21(T/RS)
IPT2000-21(TN), IPT2000-21(TN/R), IPT2000-21(TN/S), IPT2000-21(TN/RS)
IPT2000-21(TGFCI), IPT2000-21(TGFCI/R), IPT2000-21(TGFCI/S), IPT2000-21(TGFCI/RS)**

David Guo
Senior Technical Manager
SGS-CSTC

2022-05-07

Copyright of this verification is owned by SGS-CSTC Standards Technical Services Co., Ltd. and may not be reproduced other than in full and with the prior approval of the General Manager. This verification is subjected to the governance of the General Conditions of Services which can be accessible at <https://www.sgs.com/en/terms-and-conditions>

Member of SGS Group (Société Générale de Surveillance)

No.:

GZES2109027033PV

IPT2000-41(N), IPT2000-41(N/R), IPT2000-41(N/S), IPT2000-41(N/RS)
IPT2000-41(GFCI), IPT2000-41(GFCI/R), IPT2000-41(GFCI/S), IPT2000-41(GFCI/RS)
IPT2000-41(T), IPT2000-41(T/R), IPT2000-41(T/S), IPT2000-41(T/RS)
IPT2000-41(TN), IPT2000-41(TN/R), IPT2000-41(TN/S), IPT2000-41(TN/RS)
IPT2000-41(TGFCI), IPT2000-41(TGFCI/R), IPT2000-41(TGFCI/S), IPT2000-41(TGFCI/RS)

IPT3000-11(TN), IPT3000-11(TN/R), IPT3000-11(TN/S), IPT3000-11(TN/RS)
IPT3000-11(T), IPT3000-11(T/R), IPT3000-11(T/S), IPT3000-11(T/RS)
IPT3000-11(TGFCI), IPT3000-11(TGFCI/R), IPT3000-11(TGFCI/S), IPT3000-11(TGFCI/RS)

IPT3000-21(TN), IPT3000-21(TN/R), IPT3000-21(TN/S), IPT3000-21(TN/RS)
IPT3000-21(T), IPT3000-21(T/R), IPT3000-21(T/S), IPT3000-21(T/RS)
IPT3000-21(TGFCI), IPT3000-21(TGFCI/R), IPT3000-21(TGFCI/S), IPT3000-21(TGFCI/RS)

IPT3000-41(TN), IPT3000-41(TN/R), IPT3000-41(TN/S), IPT3000-41(TN/RS)
IPT3000-41(T), IPT3000-41(T/R), IPT3000-41(T/S), IPT3000-41(T/RS)
IPT3000-41(TGFCI), IPT3000-41(TGFCI/R), IPT3000-41(TGFCI/S), IPT3000-41(TGFCI/RS)

IPT4000-41(TN), IPT4000-41(TN/R), IPT4000-41(TN/S), IPT4000-41(TN/RS)
IPT4000-41(T), IPT4000-41(T/R), IPT4000-41(T/S), IPT4000-41(T/RS)
IPT4000-41(TGFCI), IPT4000-41(TGFCI/R), IPT4000-41(TGFCI/S), IPT4000-41(TGFCI/RS)



David Guo

Senior Technical Manager

SGS-CSTC

2022-05-07

Copyright of this verification is owned by SGS-CSTC Standards Technical Services Co., Ltd. and may not be reproduced other than in full and with the prior approval of the General Manager. This verification is subjected to the governance of the General Conditions of Services which can be accessible at <https://www.sgs.com/en/terms-and-conditions>

Member of SGS Group (Société Générale de Surveillance)